

PET DOORS

Parts & Accessories


2023 CATALOGUE



glasscorp.co.nz | sales@glasscorp.co.nz | ph 09 415 6338

 Proudly New Zealand
Owned & Operated

 window
& glass
association nz
member



Contents

CAT DOORS - Pet-Corp

Pet-Corp Slim Profile Cat Door	pg 3
PC1-C, PC1-W	
Pet-Corp Versatile Cat Door	pg 4
PC2-C, PC2-W, PC2-B	
Pet-Corp Classic Cat Door	pg 5
PC4-W	
Pet-Corp Upgradable Cat Door	pg 6
PC5-W	
Pet-Corp Magnetic Cat Door	pg 7
PC6-W	
Pet-Corp Compact Cat Door	pg 8
PC0-W	

DOG DOORS - Pet-Corp

Pet-Corp Versatile Dog Door	pg 9
PC3-C, PC3-W, PC3-B	
Pet-Corp Wood Fitting Dog Door	pg 10
PC11S-W, PC11M-W, PC11L-W, PC11S-B, PC11M-B, PC11L-B	
Pet-Corp Aluminium Wood Fitting Dog Door	pg 11
D9S-S, D9M-S, D9L-S, D9X-S	
Pet-Corp Screen Dog Door	pg 12
PC10S-W, PC10M-W, PC10L-W	

STANDS, PARTS & ACCESSORIES - Pet-Corp

Pet-Corp Cat Door Stand	pg 13
PC1-STAND	
Pet-Corp Dog Door Stand	pg 14
PC3-STAND	
Pet-Corp Tunnel Extension	pg 15
PC6-T	
Pet-Corp Magnetic Cat Door Collar Magnets	pg 16
PC6-MCK	
Pet-Corp Magnetic Upgrade Cartridge	pg 17
PC61-C	
Pet-Corp Replacement Flaps	pg 18
PC1-F, PC2-F, PC3-F, PC4-F, PC5-F	
Pet-Corp Replacement Flaps	pg 19
PC11-SF, PC11-MF, PC11-LF	
Pet-Corp Replacement Flaps	pg 20
D9S-SF, D9M-SF, D9L-SF, D9X-SF	
Pet-Corp Replacement Flaps	pg 21
PC10-SF, PC10-MF, PC10-LF	
Pet-Corp Replacement Locking Tabs	pg 22
PC2-CC, PC2-WC, PC3-CC, PC3-WC	
Pet-Corp Replacement Corner Locks	pg 23
D9CL	
Pet-Corp Replacement Caps & Screws	pg 24
PC1-CS, PC1-WS, PC2-CS, PC2-WS, PC2-BS, PC3-CS, PC3-WS, PC3-BS	

CAT FLAPS - PetSafe

PetSafe Microchip Cat Flap	pg 25
PS-S	

PARTS & ACCESSORIES - PetSafe

PetSafe Cat Flap Adaptor	pg 26
PSA-S	
PetSafe Cat Flap Tunnel	pg 27
PST-S	

CAT FLAPS & PET DOORS - Sureflap

Sureflap Microchip Cat Flap	pg 28
SF-S, SF-SB	
Sureflap Microchip Pet Door	pg 29
SF-L, SF-LB	
Sureflap Microchip Cat Flap Connect	pg 30
SFC-S	
Sureflap Microchip Pet Door Connect	pg 31
SFC-L	

PARTS & ACCESSORIES - Sureflap

Sureflap Microchip Connect Hub	pg 32
SFC-H	
Sureflap Glass Adaptor	pg 33
SFA-S, SFA-L, SFA-SB, SFA-LB	
Sureflap Tunnel	pg 34
SFT-S, SFT-L, SFT-SB, SFT-LB	
Sureflap Microchip RFID Collar Tags	pg 35
SF-C	

CAT DOORS & DOG DOORS - Cat Mate

Cat Mate Cat Door	pg 36
TCD-P	
Cat Mate Thin Panel Cat Door	pg 37
TCD-P4	
Cat Mate Cat Door with 50mm Liner	pg 38
TCD-P4L, TCD-PL	
Dog Mate Dog Door	pg 39
TCD-PD, TCD-PDL	

PARTS & ACCESSORIES - Cat Mate

Cat Mate Collar Magnet	pg 40
TCD-PM	
Cat Mate Replacement Flaps	pg 41
TCD-PFC, TCD-PLF, TCD-PF	
Dog Mate Replacement Flaps	pg 42
TCD-PDF, TCD-PDLF	

CAT DOORS & DOG DOORS - Transcat

Transcat Deluxe Cat Door	pg 43
TCD	
Transcat Dog Door	pg 44
TDD	

PARTS & ACCESSORIES - Transcat

Transcat Deluxe Cat Door Replacement Flap	pg 45
TCFN	
Transcat Dog Door Replacement Flap	pg 46
TDF	
Transcat Electronic Collar Magnet	pg 47
TCDEM	



Scan for
product info

Pet-Corp Slim Profile Cat Door

SINGLE GLAZING	
DOUBLE GLAZING	
SLIDING DOORS	
SCREEN DOORS	
PANEL	
WOOD	
WALL	




FEATURES

- Designed for single pane glass installations up to 10mm thick
- Can be installed in most sliding doors (requires 17mm clearance)
- 4-way locking system
- Virtually unbreakable flap made of high impact Bayer Polycarbonate
- Stainless steel screws to prevent rust and staining
- Self-lining frame to prevent dirt entrapment
- Strong NdFeb magnet provides self-locating flap and holds flap closed against strong winds
- Silicone coated brush seal to prevent draughts
- 3 year warranty against faulty manufacture

INSTALLATION INFORMATION

Glass cut out size	245mm or 267mm diameter round hole For new installations we suggest a cut out hole of 267mm to allow fitment of a magnetic door at a later date When installing into a 245mm hole please remove the three Spacer Tabs located on the inside frame
Pet size	All cat breeds, small dogs
Overall size	275mm diameter 14mm inside face depth for installing in sliding doors
Flap size	185mm width x 205mm height



CODE	COLOUR	PER UNIT	PER PACK
PC1-C	Clear	1	10
PC1-W	White	1	10



Scan for
product info

Pet-Corp Versatile Cat Door

SINGLE GLAZING	
DOUBLE GLAZING	
SLIDING DOORS	
SCREEN DOORS	
PANEL	
WOOD	
WALL	




FEATURES

- Designed for single pane and double glazing installations up to 27mm thick
- Can be installed in most sliding doors (requires 17mm clearance)
- 4-way locking system
- Virtually unbreakable flap made of high impact Bayer Polycarbonate
- Stainless steel screws to prevent rust and staining
- Self-lining frame to prevent dirt entrapment
- Strong NdFeb magnet provides self-locating flap and holds flap closed against strong winds
- Silicone coated brush seal to prevent draughts
- 3 year warranty against faulty manufacture

INSTALLATION INFORMATION

Glass cut out size	245mm or 267mm diameter round hole For new installations we suggest a cut out hole of 267mm to allow fitment of a magnetic door at a later date When installing into a 245mm hole please remove the three Spacer Tabs located on the inside frame
Pet size	All cat breeds, small dogs
Overall size	295mm diameter 16mm inside face depth for installing in sliding doors
Flap size	185mm width x 205mm height










CODE	COLOUR	PER UNIT	PER PACK
PC2-C	Clear	1	10
PC2-W	White	1	10
PC2-B	Black	1	10

Note: For double glazing we recommend a coloured door to protect double glazing sealants from UV exposure



Scan for
product info

Pet-Corp Classic Cat Door

SINGLE GLAZING	
DOUBLE GLAZING	
SLIDING DOORS	
SCREEN DOORS	
PANEL	
WOOD	
WALL	




FEATURES

- Designed for single pane, double glazing and wood installations up to 40mm thick
- Can be installed in sliding doors (requires 17mm clearance)
- 4-way locking system
- Virtually unbreakable flap made of high impact Bayer Polycarbonate
- Stainless steel screws to prevent rust and staining
- Self-lining frame to prevent dirt entrapment
- Strong NdFeb magnet provides self-locating flap and holds flap closed against strong winds
- Silicone coated brush seal to prevent draughts
- 3 year warranty against faulty manufacture

INSTALLATION INFORMATION

Glass cut out size	223mm diameter round hole
Wood cut out size	185mm width x 175mm height
Cat size	All cat breeds
Overall size	254mm width x 264mm height 14mm inside face depth for installing in sliding doors
Flap size	150mm width x 155mm height



CODE	COLOUR	PER UNIT	PER PACK
PC4-W	White	1	10



Scan for
product info

Pet-Corp Upgradable Cat Door

SINGLE GLAZING	
DOUBLE GLAZING	
SLIDING DOORS	
SCREEN DOORS	
PANEL	
WOOD	
WALL	




This door is a manual 4-way locking door that can be upgraded to a magnetic cat door by simply inserting the PC61-C upgrade cartridge.

FEATURES

- Designed for single pane, double glazing and wood installations up to 50mm thick
- Can also be installed in walls up to 300mm thick using as many wall tunnels as required (each wall tunnel adds 50mm)
- Can be installed in most sliding doors (requires 17mm clearance)
- 4-way locking system (Upgradable to magnetic or selective entry)
- Virtually unbreakable flap made of high impact Bayer Polycarbonate
- Self-lining frame to prevent dirt entrapment
- Strong NdFeb magnet provides self-locating flap and holds flap closed against strong winds
- Silicone coated brush seal to prevent draughts
- 3 year warranty against faulty manufacture

INSTALLATION INFORMATION

Glass cut out size	267mm diameter round hole
Wood cut out size	185mm width x 240mm height
Cat size	All cat breeds
Overall size	285mm width x 295mm height 16mm inside face depth for installing in ranch sliders
Flap size	170mm width x 175mm height



CODE	COLOUR	PER UNIT	PER PACK
PC5-W	White	1	10



Scan for
product info

Pet-Corp Magnetic Cat Door

SINGLE GLAZING	
DOUBLE GLAZING	
SLIDING DOORS	
SCREEN DOORS	
PANEL	
WOOD	
WALL	




This magnetic door is designed to help keep stray cats out and operates using collar magnets worn by the cat.

FEATURES

- No batteries required
- Designed for single pane, double glazing and wood installations up to 50mm thick
- Can also be installed in walls up to 300mm thick using as many wall tunnels as required (each wall tunnel adds 50mm)
- Can be installed in most ranch sliders (requires 17mm clearance)
- Magnetic with separate 4-way locking system
- Virtually unbreakable flap made of high impact Bayer Polycarbonate
- Self-lining frame to prevent dirt entrapment
- Strong NdFeb magnet provides self-locating flap and holds flap closed against strong winds
- Silicone coated brush seal to prevent draughts
- 3 year warranty against faulty manufacture
- Comes with two collar magnets

INSTALLATION INFORMATION

Glass cut out size	267mm diameter round hole
Wood cut out size	185mm width x 240mm height
Cat size	All cat breeds
Overall size	285mm width x 295mm height 16mm inside face depth for installing in ranch sliders
Flap size	170mm width x 175mm height



CODE	COLOUR	PER UNIT	PER PACK
PC6-W	White	1	10



Scan for
product info

Pet-Corp Compact Cat Door

SINGLE GLAZING	
DOUBLE GLAZING	
SLIDING DOORS	
SCREEN DOORS	
PANEL	
WOOD	
WALL	




FEATURES

- Designed for wood installations from 15mm to 40mm
- 4-way locking system
- Virtually unbreakable flap made of high impact Bayer Polycarbonate
- Stainless steel screws to prevent rust and staining
- Self-lining frame to prevent dirt entrapment
- Strong NdFeb magnet provides self-locating flap and holds flap closed against strong winds
- Silicone coated brush seal to prevent draughts
- 3 year warranty against faulty manufacture

INSTALLATION INFORMATION

Wood cut out size	Cut out as per shaped template supplied
Cat size	All cat breeds
Overall size	210mm width x 220mm height
Flap size	150mm width x 155mm height



CODE	COLOUR	PER UNIT	PER PACK
PC0-W	White	1	10



Scan for
product info

Pet-Corp Versatile Dog Door

SINGLE GLAZING	
DOUBLE GLAZING	
SLIDING DOORS	
SCREEN DOORS	
PANEL	
WOOD	
WALL	




FEATURES

- Suits small to medium dogs with a shoulder height up to 430mm
- Designed for single pane and double glazing installations up to 27mm thick
- Can be installed in sliding doors (requires 17mm clearance)
- 4-way locking system
- 3 x additional stainless steel security pins for added security
- Virtually unbreakable flap made of high impact Bayer Polycarbonate
- Stainless steel screws to prevent rust and staining
- Self-lining frame to prevent dirt entrapment
- Strong NdFeb magnet provides self-locating flap and holds flap closed against strong winds
- Silicone coated brush seal to prevent draughts
- 3 year warranty against faulty manufacture

INSTALLATION INFORMATION

Glass cut out size	385mm diameter round hole
Dog size	Small to medium dogs with a shoulder height up to 430mm
Overall size	435mm diameter 16mm inside face depth for installing in sliding doors
Flap size	295mm width x 300mm height



CODE	COLOUR	PER UNIT	PER PACK
PC3-C	Clear	1	10
PC3-W	White	1	10
PC3-B	Black	1	10



Note: For double glazing we recommend a coloured door to protect double glazing sealants from UV exposure



Scan for
product info

Pet-Corp Wood Fitting Dog Door

SINGLE GLAZING	
DOUBLE GLAZING	
SLIDING DOORS	
SCREEN DOORS	
PANEL	
WOOD	
WALL	



Designed to help conserve energy in insulated homes or ones with dual glazing. Its slim line door profile will sit flush with your door regardless of the door type. The door flaps are virtually unbreakable, a signature of the Pet-Corp range. The frames are fitted with security slides locking the flap securely in place. When not in a locked position the flap is held in place against strong winds when closed via two powerful magnets and comes with a full brush weather seal to prevent draughts.

FEATURES

- Designed for panel, double glazing and wood installations up to 50mm thick
- Slim line design
- Virtually unbreakable insulated Polycarbonate flaps
- 2 x way locking
- Additional security locks for added protection
- Self lining design
- Self closing magnetic locating flap
- Low maintenance, simple to clean
- Brush weather seal to reduce draughts
- Suits small to large dogs
- 3 years warranty against faulty manufacture

INSTALLATION INFORMATION

Glass or Wood cut out size

PC11S-W, PC11S-B 212mm width x 287mm height

PC11M-W, PC11M-B 262mm width x 337mm height

PC11L-W, PC11L-B 332mm width x 470mm height

Installation minimum 5mm tempered glass

Dog size

PC11S-W, PC11S-B Up to 6kg.
Shoulder height up to 230mm

PC11M-W, PC11M-B Up to 16kg.
Shoulder height up to 460mm

PC11L-W, PC11L-B Up to 25kg.
Shoulder height up to 550mm

Overall size

PC11S-W, PC11S-B 263mm width x 335mm height

PC11M-W, PC11M-B 317mm width x 390mm height

PC11L-W, PC11L-B 385mm width x 520mm height

10mm inside face depth for installing in sliding doors

Flap size

PC11S-W, PC11S-B 175mm width x 240mm height

PC11M-W, PC11M-B 225mm width x 290mm height

PC11L-W, PC11L-B 295mm width x 425mm height

CODE	SIZE	COLOUR	PER UNIT	PER PACK
PC11S-W	Small	White	1	10
PC11M-W	Medium	White	1	10
PC11L-W	Large	White	1	10
PC11S-B	Small	Black	1	10
PC11M-B	Medium	Black	1	10
PC11L-B	Large	Black	1	10



Scan for
product info

Pet-Corp Aluminium Wood Fitting Dog Door

SINGLE GLAZING	
DOUBLE GLAZING	
SLIDING DOORS	
SCREEN DOORS	
PANEL	
WOOD	
WALL	



Designed to be aesthetically pleasing whilst maintaining the rugged durability of aluminium construction. Suitable for dual glazing installations with an additional glazing kit. The door will fit an IGU unit with a thickness between 18mm to 40mm. Flexible unbreakable flaps seal against the aluminum frame with a brush weather seal, held in place by powerful magnets. Ultimate security is provided via a tough composite panel with a robust locking mechanism.

FEATURES

- Fits doors 30mm to 50mm
- Fits IGU units 18mm to 40mm
- Robust aluminium construction
- Flaps held in place by powerful magnets
- Flaps remain flexible in cold conditions
- Silicone coated brush seals
- Self lining frames
- Security panels with two locking mechanisms
- Simple installation
- 3 years warranty against faulty manufacture

INSTALLATION INFORMATION

Glass or Wood cut out size

D9S-S	185mm width x 275mm height
D9M-S	240mm width x 350mm height
D9L-S	295mm width x 450mm height
D9X-S	375mm width x 635mm height

Glazing kit for glass installation included

Dog size

D9S-S	Up to 7kg. Shoulder height of up to 300mm
D9M-S	Up to 16kg. Shoulder height of up to 400mm
D9L-S	Up to 20kg. Shoulder height of up to 500mm
D9X-S	Up to 50kg. Shoulder height of up to 685mm


Overall size

D9S-S	250mm width x 340mm height
D9M-S	305mm width x 420mm height
D9L-S	365mm width x 520mm height
D9X-S	442mm width x 700mm height

Inside face depth for installing in sliding doors:
20mm (with 6mm foam tape), 23mm (with 9mm foam tape)

Flap size

D9S-S	170mm width x 248mm height
D9M-S	225mm width x 318mm height
D9L-S	280mm width x 430mm height
D9X-S	358mm width x 600mm height



CODE	SIZE	COLOUR	PER UNIT	PER PACK
D9S-S	Small	Silver	1	10
D9M-S	Medium	Silver	1	10
D9L-S	Large	Silver	1	10
D9X-S	Extra Large	Silver	1	10



Scan for
product info

Pet-Corp Screen Dog Door

SINGLE GLAZING	
DOUBLE GLAZING	
SLIDING DOORS	
SCREEN DOORS	
PANEL	
WOOD	
WALL	



This slim line door is designed to sit flush with your screen door regardless of the screen door type. Whether it be a sliding screen door of aluminium grill and mesh, or perforated metal, or single glass panel. The door flaps are virtually unbreakable, a signature of the Pet-Corp range. For added security the frames are fitted with security slides locking the flap securely in place. When not in a locked position the flap is held in place against strong winds when closed, via two powerful magnets and comes with a full brush weather seal to prevent draughts.

FEATURES

- Designed for single pane glass and screen doors up to 10mm thick
- Slim line design
- Virtually unbreakable Polycarbonate flaps
- 2 x way locking
- Additional security locks for added protection
- Self lining design
- Self closing magnetic locating flap
- Low maintenance, simple to clean
- Brush weather seal to reduce draughts
- Suits small to large dogs
- 3 years warranty against faulty manufacture

INSTALLATION INFORMATION

Grill and Mesh Screen Door cut out size

PC10S-W	230mm width x 305mm height
PC10M-W	280mm width x 355mm height
PC10L-W	350mm width x 487mm height

Perforated Metal Screen Door and Glass cut out size

PC10S-W	212mm width x 287mm height
PC10M-W	262mm width x 337mm height
PC10L-W	332mm width x 470mm height

Minimum 5mm to maximum 10mm tempered glass

Dog size

PC10S-W	Up to 6kg. Shoulder height up to 230mm
PC10M-W	Up to 16kg. Shoulder height up to 460mm
PC10L-W	Up to 25kg. Shoulder height up to 550mm


Overall size

PC10S-W	263mm width x 335mm height
PC10M-W	317mm width x 390mm height
PC10L-W	385mm width x 520mm height

10mm inside face depth for installing in sliding doors

Flap size

PC10S-W	175mm width x 240mm height
PC10M-W	225mm width x 290mm height
PC10L-W	295mm width x 425mm height



CODE	SIZE	COLOUR	PER UNIT	PER PACK
PC10S-W	Small	White	1	10
PC10M-W	Medium	White	1	10
PC10L-W	Large	White	1	10



Scan for
product info

Pet-Corp Cat Door Stand

DISPLAY STAND
FLAP / DOOR
GLASS ADAPTOR
TUNNEL / EXTENSION
MAGNETS / TAGS
HUB
UPGRADE
LOCKING TAB
CAPS & SCREWS



Smart display stand for your showroom. Making it easy to show your customers the different styles, sizes, and functions in the Pet-Corp cat door range.

FEATURES

- Pet-Corp Upgradable Cat Door (PC5-W)
- Pet-Corp Classic Cat Door (PC4-W)
- Pet-Corp Versatile Cat Door (PC2-W)
- Sturdy timber construction

Contact Glasscorp for black and clear cat door options

INSTALLATION INFORMATION

Overall size 400mm width x 1518mm height
 x 455mm depth

CODE	PER UNIT
PC1-STAND	1



Scan for
product info

Pet-Corp Dog Door Stand

DISPLAY STAND
FLAP / DOOR
GLASS ADAPTOR
TUNNEL / EXTENSION
MAGNETS / TAGS
HUB
UPGRADE
LOCKING TAB
CAPS & SCREWS



Smart display stand for your showroom. Making it easy to show your customers the different styles, sizes, and functions in the Pet-Corp dog door range.

FEATURES

- Pet-Corp Versatile Dog Door (PC3-W)
- Pet-Corp Screen Dog Door (PC10S-W)
- Pet-Corp Wood Fitting Dog Door (PC11M-W)
- Sturdy timber construction

Contact Glasscorp for black and clear dog door options

INSTALLATION INFORMATION

Overall size 500mm width x 1518mm height
x 495mm depth

CODE	PER UNIT
PC3-STAND	1



Scan for
product info

Pet-Corp Tunnel Extension

DISPLAY STAND
FLAP / DOOR
GLASS ADAPTOR
TUNNEL / EXTENSION
MAGNETS / TAGS
HUB
UPGRADE
LOCKING TAB
CAPS & SCREWS



Pet-Corp tunnel extension.

FEATURES

- Each wall tunnel adds 50mm
- Tunnels can be joined together to provide up to 300mm length

INSTALLATION INFORMATION

Compatibility

PC6-T For the Pet-Corp Upgradable Cat Door (PC5-W) and the Pet-Corp Magnetic Cat Door (PC6-W)

CODE	COLOUR	PER UNIT
PC6-T	White	1



Scan for
product info

Pet-Corp Magnetic Cat Door Collar Magnets

DISPLAY STAND
FLAP / DOOR
GLASS ADAPTOR
TUNNEL / EXTENSION
MAGNETS / TAGS
HUB
UPGRADE
LOCKING TAB
CAPS & SCREWS



Pet-Corp replacement magnetic collar keys.

FEATURES

- Set of two additional collar magnets to be used with Pet-Corp Magnetic Cat Door (PC6-W)
- 2 pack

INSTALLATION INFORMATION

Compatibility

PC6-MCK For the Pet-Corp Magnetic Cat Door (PC6-W)

CODE	COLOUR	PER UNIT
PC6-MCK	Black	2



Scan for
product info

Pet-Corp Magnetic Upgrade Cartridge

DISPLAY STAND
FLAP / DOOR
GLASS ADAPTOR
TUNNEL / EXTENSION
MAGNETS / TAGS
HUB
UPGRADE
LOCKING TAB
CAPS & SCREWS



This magnetic upgrade cartridge can be inserted into the Pet-Corp Upgradable Cat Door (PC5-W) to make it a magnetic cat door (the same as a PC6-W). The magnetic door is designed to help keep stray cats out and operates using collar magnets worn by the cat.

FEATURES

- No batteries required
- Includes two collar magnets

INSTALLATION INFORMATION

Compatibility

PC61-C For the Pet-Corp Upgradable Cat Door (PC5-W)

CODE	COLOUR	PER UNIT
PC61-C	White	1



Scan for
product info

Pet-Corp Replacement Flaps

DISPLAY STAND
FLAP / DOOR
GLASS ADAPTOR
TUNNEL / EXTENSION
MAGNETS / TAGS
HUB
UPGRADE
LOCKING TAB
CAPS & SCREWS



Replacement flaps for Pet-Corp cat doors and dog doors.

INSTALLATION INFORMATION

Compatibility

PC1-F	For the Pet-Corp Slim Profile Cat Doors (PC1-C and PC1-W)
PC2-F	For the Pet-Corp Versatile Cat Doors (PC2-C, PC2-W, and PC2-B)
PC3-F	For the Pet-Corp Versatile Dog Doors (PC3-C, PC3-W, and PC3-B)
PC4-F	For the Pet-Corp Classic Cat Door (PC4-W)
PC5-F	For the Pet-Corp Upgradable Cat Doors (PC5-W and PC6-W)

Flap size

PC1-F	185mm width x 205mm height
PC2-F	185mm width x 205mm height
PC3-F	295mm width x 300mm height
PC4-F	150mm width x 155mm height
PC5-F	170mm width x 175mm height

CODE	COLOUR	PER UNIT
PC1-F	Clear	1
PC2-F	Clear	1
PC3-F	Clear	1
PC4-F	Clear	1
PC5-F	Clear	1



Scan for
product info

Pet-Corp Replacement Flaps

DISPLAY STAND
FLAP / DOOR
GLASS ADAPTOR
TUNNEL / EXTENSION
MAGNETS / TAGS
HUB
UPGRADE
LOCKING TAB
CAPS & SCREWS



Replacement flaps for Pet-Corp wood fitting dog doors.

INSTALLATION INFORMATION

Compatibility

PC11-SF	For the Pet-Corp Wood Fitting Dog Door - Small (PC11S-W, PC11S-B)
PC11-MF	For the Pet-Corp Wood Fitting Dog Door - Medium (PC11M-W, PC11M-B)
PC11-LF	For the Pet-Corp Wood Fitting Dog Door - Large (PC11L-W, PC11L-B)

Flap size

PC11-SF	175mm width x 240mm height
PC11-MF	225mm width x 290mm height
PC11-LF	295mm width x 425mm height

CODE	SIZE	COLOUR	PER UNIT
PC11-SF	Small	Clear	1
PC11-MF	Medium	Clear	1
PC11-LF	Large	Clear	1



Scan for
product info

Pet-Corp Replacement Flaps

DISPLAY STAND
FLAP / DOOR
GLASS ADAPTOR
TUNNEL / EXTENSION
MAGNETS / TAGS
HUB
UPGRADE
LOCKING TAB
CAPS & SCREWS



Replacement flaps for Pet-Corp aluminium wood fitting dog doors.

INSTALLATION INFORMATION

Compatibility

D9S-SF	For the Pet-Corp Aluminium Wood Fitting Dog Door - Small (D9S-S)
D9M-SF	For the Pet-Corp Aluminium Wood Fitting Dog Door - Medium (D9M-S)
D9L-SF	For the Pet-Corp Aluminium Wood Fitting Dog Door - Large (D9L-S)
D9X-SF	For the Pet-Corp Aluminium Wood Fitting Dog Door - X Large (D9X-S)

Flap size

D9S-SF	170mm width x 248mm height
D9M-SF	225mm width x 318mm height
D9L-SF	280mm width x 430mm height
D9X-SF	358mm width x 600mm height

CODE	SIZE	COLOUR	PER UNIT
D9S-SF	Small	Clear	1
D9M-SF	Medium	Clear	1
D9L-SF	Large	Clear	1
D9X-SF	X Large	Clear	1



Scan for
product info

Pet-Corp Replacement Flaps

DISPLAY STAND
FLAP / DOOR
GLASS ADAPTOR
TUNNEL / EXTENSION
MAGNETS / TAGS
HUB
UPGRADE
LOCKING TAB
CAPS & SCREWS



Replacement flaps for Pet-Corp screen dog doors.

INSTALLATION INFORMATION

Compatibility

PC10-SF	For the Pet-Corp Screen Dog Door - Small (PC10S-W)
PC10-MF	For the Pet-Corp Screen Dog Door - Medium (PC10M-W)
PC10-LF	For the Pet-Corp Screen Dog Door - Large (PC10L-W)

Flap size

PC10-SF	175mm width x 240mm height
PC10-MF	225mm width x 290mm height
PC10-LF	295mm width x 425mm height

CODE	SIZE	COLOUR	PER UNIT
PC10-SF	Small	Clear	1
PC10-MF	Medium	Clear	1
PC10-LF	Large	Clear	1



Scan for
product info

Pet-Corp Replacement Locking Tabs

DISPLAY STAND
FLAP / DOOR
GLASS ADAPTOR
TUNNEL / EXTENSION
MAGNETS / TAGS
HUB
UPGRADE
LOCKING TAB
CAPS & SCREWS



Pet-Corp replacement locking tabs.

FEATURES

- 2 pack

INSTALLATION INFORMATION

Compatibility

PC2-CC	For the Pet-Corp Versatile Cat Door - Clear (PC2-C) and the Pet-Corp Slim Profile Cat Door - Clear (PC1-C)
PC2-WC	For the Pet-Corp Versatile Cat Door - White (PC2-W) and the Pet-Corp Slim Profile Cat Door - White (PC1-W)
PC3-CC	For the Pet-Corp Versatile Dog Door - Clear (PC3-C)
PC3-WC	For the Pet-Corp Versatile Dog Door - White (PC3-W)


CODE	COLOUR	PER UNIT
PC2-CC	Clear	2
PC2-WC	White	2
PC3-CC	Clear	2
PC3-WC	White	2



Scan for
product info

Pet-Corp Replacement Corner Locks

DISPLAY STAND
FLAP / DOOR
GLASS ADAPTOR
TUNNEL / EXTENSION
MAGNETS / TAGS
HUB
UPGRADE
LOCKING TAB
CAPS & SCREWS



Replacement corners and locks for the Pet-Corp aluminium wood fitting dog doors.

FEATURES

- 2 corners and 2 locks
- Black plastic

INSTALLATION INFORMATION

Compatibility

D9CL For the Pet-Corp Aluminium Wood Fitting Dog Doors (D9S-S, D9M-S, D9L-S, and D9X-S)

CODE	COLOUR	PER UNIT
D9CL	Black	2



Scan for
product info

Pet-Corp Caps & Screws

DISPLAY STAND
FLAP / DOOR
GLASS ADAPTOR
TUNNEL / EXTENSION
MAGNETS / TAGS
HUB
UPGRADE
LOCKING TAB
CAPS & SCREWS



Replacement caps and screws for the Pet-Corp pet doors.

INSTALLATION INFORMATION

Compatibility

PC1-CS	For the Pet-Corp Slim Profile Cat Door - Clear (PC1-C)
PC1-WS	For the Pet-Corp Slim Profile Cat Door - White (PC1-W)
PC2-CS	For the Pet-Corp Versatile Cat Door - Clear (PC2-C)
PC2-WS	For the Pet-Corp Versatile Cat Door - White (PC2-W)
PC2-BS	For the Pet-Corp Versatile Cat Door - Black (PC2-B)
PC3-CS	For the Pet-Corp Versatile Dog Door - Clear (PC3-C)
PC3-WS	For the Pet-Corp Versatile Dog Door - White (PC3-W)
PC3-BS	For the Pet-Corp Versatile Dog Door - Black (PC3-B)



CODE	COLOUR	PER UNIT
PC1-CS	Clear	3 x screws, 3 x caps
PC1-WS	White	3 x screws, 3 x caps
PC2-CS	Clear	3 x short screws, 3 x long screws, 3 x caps
PC2-WS	White	3 x short screws, 3 x long screws, 3 x caps
PC2-BS	Black	3 x short screws, 3 x long screws, 3 x caps
PC3-CS	Clear	4 x short screws, 4 x medium screws, 4 x long screws, 4 x caps
PC3-WS	White	4 x short screws, 4 x medium screws, 4 x long screws, 4 x caps
PC3-BS	Black	4 x short screws, 4 x medium screws, 4 x long screws, 4 x caps



Scan for
product info

PetSafe Microchip Cat Flap

SINGLE GLAZING	
DOUBLE GLAZING	
SLIDING DOORS	
SCREEN DOORS	
PANEL	
WOOD	
WALL	



The PetSafe Microchip Cat Flap only opens when a pet with a programmed microchip walks up to the door. Programming a microchip to the door is quick and easy. You can program up to 40 pets making it great for multi-cat families. Customise your cat's access with the 4-way lock on the cat door. Set the door to locked, unlocked, in-only or out-only to keep your favourite feline safe and secure.

FEATURES

- Only opens for programmed pets, keeping unwanted animals out of your home
- Program up to 40 pets
- 4 locking options let you customise your cat's access
- Energy-efficient weather stripping and 2 magnetic locking points
- Installation into most wood, PVC and uPVC doors
- PetSafe Cat Flap Adaptor (PSA-S) required when installing into metal, glass, and brick, sold separately
- PetSafe Cat Flap Tunnel (PST-S) needed for wall installation, sold separately

INSTALLATION INFORMATION

Door without metal cut out size	168mm width x 175mm height
Door/Wall with metal on inside or outside (uPVC, wood etc) cut out size	250mm, cut out as per shaped template supplied
Wall without metal cut out size	168mm width x 175mm height
Single glazed glass cut out size	215mm diameter
Double glazed glass cut out size	260mm diameter
Cat size	Up to 8kg
Overall size	220mm width x 239mm height
Flap size	145mm width x 135mm height

CODE	COLOUR	PER UNIT
PS-S	White	1



Scan for
product info

PetSafe Cat Flap Adaptor

DISPLAY STAND
FLAP / DOOR
GLASS ADAPTOR
TUNNEL / EXTENSION
MAGNETS / TAGS
HUB
UPGRADE
LOCKING TAB
CAPS & SCREWS



PetSafe adaptor.

FEATURES

- Improves performance of the microchip reader when the cat flap is installed in metal and metal core doors
- Increases energy efficiency when your cat flap is installed into metal or glass
- Helps you easily install the PetSafe Microchip Cat Flap (PS-S) into glass or metal windows and doors

INSTALLATION INFORMATION

Compatibility

PSA-S For the PetSafe Microchip Cat Flap (PS-S)

Glass hole size

When mounting in glass, this accessory allows mounting in circular holes with a diameter of:

PSA-S 215mm (min) to 285mm (max)

Overall size

PSA-S 300mm diameter

CODE	COLOUR	PER UNIT
PSA-S	White	1



Scan for
product info

PetSafe Cat Flap Tunnel

DISPLAY STAND
FLAP / DOOR
GLASS ADAPTOR
TUNNEL / EXTENSION
MAGNETS / TAGS
HUB
UPGRADE
LOCKING TAB
CAPS & SCREWS



PetSafe tunnel extension.

FEATURES

- Easy Installation - Simply glue the extension in place to add 50mm to the tunnel of your PetSafe Microchip Cat Flap (PS-S)
- Thicker Walls/Doors - The PetSafe Cat Flap Tunnel provides a flush and precise fit for thicker doors and walls; multiple tunnels can be used in order to fit the needed thickness

INSTALLATION INFORMATION

Compatibility

PST-S For the PetSafe Microchip Cat Flap (PS-S)

CODE	COLOUR	PER UNIT
PST-S	White	1



Scan for
product info

Sureflap Microchip Cat Flap

SINGLE GLAZING	
DOUBLE GLAZING	
SLIDING DOORS	
SCREEN DOORS	
PANEL	
WOOD	
WALL	



Glass installations require an adapter.

FEATURES

- Designed for installations into wood and glass
- Selective entry - any animal can exit
- The microchip reader is located on the outside of the cat flap only
- Stores up to 32 pet identities in memory
- Remembers all registered cats even when the batteries are removed
- Up to 12 months battery life (4 x AA batteries not included). A low battery indicator will flash when the batteries need changing
- Manual lock stops your cat leaving or entering the house. Set to in-only to enable your cat to come indoors without being able to get out again
- Works with all common identification microchips and RFID collar tags (not included)
- 3 year warranty against faulty manufacture

INSTALLATION INFORMATION

Glass cut out size	212mm diameter round hole Mounting adapters SFA-S and SFA-SB are suitable for covering holes from 210mm to 260mm in diameter
Wood or Wall cut out size	165mm width x 171mm height
Cat size	Up to 6kg
Overall size	210mm width x 210mm height
Flap size	142mm width x 120mm height

CODE	COLOUR	PER UNIT	PER PACK
SF-S	White	1	10
SF-SB	Brown	1	10



Scan for
product info

Sureflap Microchip Pet Door

SINGLE GLAZING	■
DOUBLE GLAZING	■
SLIDING DOORS	■
SCREEN DOORS	■
PANEL	■
WOOD	■
WALL	■



Glass installations require an adapter.

FEATURES

- Designed for installations into wood and glass
- Larger in size than our cat flaps. The pet door is designed for large cats and small dogs
- Curfew mode set the door to lock and unlock at specified times. It can be set to lock at the same time each day
- Includes 1 x RFID collar tag that can be used if your pet is not microchipped
- Stores up to 32 pet identities in memory
- Remembers all registered pets even when the batteries have been removed
- Selective entry - any animal can exit
- The microchip reader is located on the exterior of the pet door only
- Up to 12 months battery life (4 x C cell batteries not included). A low battery indicator will flash when the batteries need changing
- Manual lock stops your pet leaving or entering the house. Set to in-only to enable your pet to come indoors without being able to get out again
- Works with all identification microchips worldwide and SureFlap RFID collar tags
- 3 year warranty against faulty manufacture

INSTALLATION INFORMATION

Glass cut out size	300mm diameter round hole Mounting adapters SFA-L and SFA-LB are suitable for covering holes from 294mm to 320mm in diameter
Wood or Wall cut out size	207mm width x 234mm height
Pet size	Large cats, small dogs
Overall size	262mm width x 281mm height
Flap size	178mm width x 170mm height

CODE	COLOUR	PER UNIT	PER PACK
SF-L	White	1	10
SF-LB	Brown	1	10



Scan for
product info

Sureflap Microchip Cat Flap Connect

SINGLE GLAZING	
DOUBLE GLAZING	
SLIDING DOORS	
SCREEN DOORS	
PANEL	
WOOD	
WALL	



FEATURES

- Connect with the Hub (sold separately) which links the Microchip Cat Flap Connect to the Sure Petcare app
- Remotely lock or unlock the cat door anytime, anywhere from the Sure Petcare app
- Know whether your pets are at home, monitor long-term activity and notice changes in behaviour
- Receive notifications when your pet enters and leaves your home
- Prevents intruder animals entering your home
- Create a curfew - set the door to lock and unlock at specified times or take control at anytime using the Sure Petcare app
- Share app access with friends and manage their permissions
- Battery powered with up to 6 months battery life (4 x AA batteries not included)
- Set exit permissions for each pet to keep specific pets indoors using DualScan technology

INSTALLATION INFORMATION

Glass cut out size	212mm diameter round hole Mounting adapter SFA-S is suitable for covering holes from 210mm to 260mm in diameter
Wood cut out size	165mm width x 171mm height
Cat size	Up to 6kg
Overall size	210mm width x 210mm height
Flap size	142mm width x 120mm height

CODE	SIZE	COLOUR	PER UNIT	PER PACK
SFC-S	Small	White	1	10



Scan for
product info

Sureflap Microchip Pet Door Connect

SINGLE GLAZING	
DOUBLE GLAZING	
SLIDING DOORS	
SCREEN DOORS	
PANEL	
WOOD	
WALL	



FEATURES

- Designed for large cats and small dogs
- Connect with the Hub (sold separately) which links the Microchip Pet Door Connect to the Sure Petcare app
- Remotely lock or unlock the pet door anytime, anywhere from the Sure Petcare app
- Know whether your pets are at home, monitor long-term activity and notice changes in behaviour
- Receive notifications when your pet enters and leaves your home
- Prevents intruder animals entering your home
- Create a curfew - set the door to lock and unlock at specified times or take control at anytime using the Sure Petcare app
- Share app access with friends and manage their permissions
- Battery powered with up to 6 months battery life (4 x C cell batteries not included)
- Selective entry any animal can exit. The microchip reader is located on the exterior of the pet door only

INSTALLATION INFORMATION

Glass cut out size	300mm diameter round hole Mounting adapter SFA-L is suitable for covering holes from 294mm to 320mm in diameter
Wood cut out size	207mm width x 234mm height
Pet size	Large cat, small dog
Overall size	262mm width x 281mm height
Flap size	178mm width x 170mm height

CODE	SIZE	COLOUR	PER UNIT	PER PACK
SFC-L	Large	White	1	10



Scan for
product info

Sureflap Microchip Connect Hub

DISPLAY STAND
FLAP / DOOR
GLASS ADAPTOR
TUNNEL / EXTENSION
MAGNETS / TAGS
HUB
UPGRADE
LOCKING TAB
CAPS & SCREWS



The Sureflap Hub allows the user to connect to their Sureflap Connect Pet Door or Sureflap Connect Cat Flap from anywhere in the world.

FEATURES

- The link between your connected products and the Sure Petcare app
- Enables you to control your connected products using the Sure Petcare app
- Plugs into your WiFi router using an ethernet cable (included)
- Add up to 10 connected products to your household
- Dimmable 'ears' which also flash for notifications
- Mains powered

INSTALLATION INFORMATION

Compatibility

SFC-H For the Sureflap Connect Pet Door (SFC-S), and Sureflap Connect Cat Flap (SFC-L)

CODE	COLOUR	PER UNIT
SFC-H	White	1



Scan for
product info

Sureflap Glass Adaptor

DISPLAY STAND
FLAP / DOOR
GLASS ADAPTOR
TUNNEL / EXTENSION
MAGNETS / TAGS
HUB
UPGRADE
LOCKING TAB
CAPS & SCREWS



FEATURES

- Required for glass and wall installations
- The Cat Flap Mounting Adaptor or Pet Door Mounting Adaptor includes two parts, one for the exterior and one for the interior of your home
- The Cat Flap Mounting Adaptor or Pet Door Mounting Adaptor is not required for wall installations, as the cat flap or pet door has internal screw holes to enable fixing to a wall

INSTALLATION INFORMATION

Compatibility

SFA-S	For the Sureflap Cat Flap (SF-S)
SFA-L	For the Sureflap Pet Door (SF-L)
SFA-SB	For the Sureflap Cat Flap - Brown (SF-SB)
SFA-LB	For the Sureflap Pet Door - Brown (SF-LB)

Glass hole size

When mounting in glass, this accessory allows mounting in circular holes with a diameter of:

SFA-S	212mm (min) to 260mm (max)
SFA-L	294mm (min) to 320mm (max)
SFA-SB	212mm (min) to 260mm (max)
SFA-LB	294mm (min) to 320mm (max)

Overall size

SFA-S	285mm diameter
SFA-L	380mm diameter
SFA-SB	285mm diameter
SFA-LB	380mm diameter

CODE	SIZE	COLOUR	PER UNIT
SFA-S	Small	White	1
SFA-L	Large	White	1
SFA-SB	Small	Brown	1
SFA-LB	Large	Brown	1



Scan for
product info

Sureflap Tunnel

DISPLAY STAND
FLAP / DOOR
GLASS ADAPTOR
TUNNEL / EXTENSION
MAGNETS / TAGS
HUB
UPGRADE
LOCKING TAB
CAPS & SCREWS



Sureflap tunnel extension.

FEATURES

- 50mm depth

INSTALLATION INFORMATION

Compatibility

SFT-S	For the Sureflap Cat Flap (SF-S)
SFT-L	For the Sureflap Pet Door (SF-L)
SFT-SB	For the Sureflap Cat Flap - Brown (SF-SB)
SFT-LB	For the Sureflap Pet Door - Brown (SF-LB)

CODE	COLOUR	PER UNIT
SFT-S	White	1
SFT-L	White	1
SFT-SB	Brown	1
SFT-LB	Brown	1



Scan for
product info

Sureflap Microchip RFID Collar Tags

DISPLAY STAND
FLAP / DOOR
GLASS ADAPTOR
TUNNEL / EXTENSION
MAGNETS / TAGS
HUB
UPGRADE
LOCKING TAB
CAPS & SCREWS



Sureflap RFID collar tags for use if your pet is not microchipped.

FEATURES

- Replacement RFID Collar Tags for Sureflap Cat Flap (SF-S) and Sureflap Pet Door (SF-L)
- 2 x Collar Tags

INSTALLATION INFORMATION

Compatibility

SF-C For the Sureflap Cat Flap (SF-S) and the Sureflap Pet Door (SF-L)

CODE	COLOUR	PER UNIT
SF-C	Silver & White	2



Scan for
product info

Cat Mate Cat Door

SINGLE GLAZING	
DOUBLE GLAZING	
SLIDING DOORS	
SCREEN DOORS	
PANEL	
WOOD	
WALL	




Designed for glass installations but can be used in some wood installations.

FEATURES

- Installation in glass, wood, and double glazed windows up to 32mm thick
- Suitable for cats and miniature dogs
- Transparent flap
- Sturdy 4-way locking system
- UV stabilised tough construction
- Heavy-duty magnetic latch
- Silent action
- Easy installation
- TCD-P comes with clear flap but can be fitted with clear (TCD-PFC) or tinted (TCD-PF) replacement flap

INSTALLATION INFORMATION

Glass cut out size	223mm diameter round hole
Wood cut out size	223mm diameter round hole
Pet size	Up to 8kg
Overall size	245mm diameter 14mm inside face depth for installing in sliding doors
Flap size	145mm width x 155mm height



CODE	COLOUR	PER UNIT	PER PACK
TCD-P	White	1	10



Scan for
product info

Cat Mate Thin Panel Cat Door

SINGLE GLAZING	
DOUBLE GLAZING	
SLIDING DOORS	
SCREEN DOORS	
PANEL	
WOOD	
WALL	



FEATURES

- Transparent flap is preferred by most cats and is made from super tough polymer
- Silent action will not frighten pets or disturb owner
- Draft and weatherproof fully brush sealed flap with magnetic closure
- Rain proof seal
- Installation in wood panels up to 13mm thick
- Easy to use, tamper proof 4 way lock

INSTALLATION INFORMATION

Cut out size	165mm width x 174mm height
Cat size	Up to 8kg
Overall size	192mm width x 200mm height
Flap size	145mm width x 155mm height

CODE	SIZE	COLOUR	PER UNIT	PER PACK
TCD-P4	Small	White	1	10



Scan for
product info

Cat Mate Cat Door with 50mm Liner

SINGLE GLAZING	
DOUBLE GLAZING	
SLIDING DOORS	
SCREEN DOORS	
PANEL	
WOOD	
WALL	



This high quality product with its unique trimmable door liner enables neat, easy installation in all doors, panels and walls.

FEATURES

- Self lining to 50mm thick - ideal for all door, panels and walls
- Silent action will not frighten pets or disturb owner
- Transparent flap is preferred by most cats and is made from super tough polymer
- Draft and weatherproof fully brush sealed flap with magnetic closure
- Rain proof seal
- Easy to use, tamper proof 4 way lock

INSTALLATION INFORMATION

Wood cut out size

TCD-P4L 165mm width x 174mm height

TCD-PL 210mm width x 225mm height

Cat size

TCD-P4L Up to 8kg

TCD-PL Large cat, small dog

Overall size

TCD-P4L 192mm width x 200mm height

TCD-PL 235mm width x 252mm height

Flap size

TCD-P4L 145mm width x 155mm height

TCD-PL 180mm width x 195mm height



CODE	SIZE	COLOUR	PER UNIT	PER PACK
TCD-P4L	Small	White	1	10
TCD-PL	Large	White	1	10



Scan for
product info

Dog Mate Dog Door

SINGLE GLAZING	
DOUBLE GLAZING	
SLIDING DOORS	
SCREEN DOORS	
PANEL	
WOOD	
WALL	



FEATURES

- Designed for wood installation but can also be installed in to glass
- TCD-PD is suitable for spaniels, terriers, poodles, beagles etc. with shoulder height up to 460mm
TCD-PDL is suitable for labradors, german shepherds etc. with shoulder height up to 630mm
- Transparent flap
- Sliding 2 way locking panel
- Heavy duty magnetic catch
- Silent action
- Easy installation
- Installation in wood panels up to 50mm

INSTALLATION INFORMATION

Glass cut out size

If you choose to install this dog door in glass or double glazing by cutting a square hole, the cut out dimensions will have to be altered to allow for the bolts to clear the cut out rather than going through the wood in the usual way. Glasscorp recommends purchasing the door before ordering or cutting glass.

Wood cut out size

TCD-PD	242mm width x 300mm height
TCD-PDL	318mm width x 391mm height

Dog size

TCD-PD	Shoulder height up to 460mm
TCD-PDL	Shoulder height up to 630mm

Overall size

TCD-PD	290mm width x 350mm height
TCD-PDL	366mm width x 441mm height

Flap size

TCD-PD	220mm width x 275mm height
TCD-PDL	300mm width x 370mm height

CODE	SIZE	COLOUR	PER UNIT	PER PACK
TCD-PD	Medium	White	1	10
TCD-PDL	Large	White	1	10



Scan for
product info

Cat Mate Collar Magnet

DISPLAY STAND
FLAP / DOOR
GLASS ADAPTOR
TUNNEL / EXTENSION
MAGNETS / TAGS
HUB
UPGRADE
LOCKING TAB
CAPS & SCREWS



Cat Mate replacement collar magnet.

FEATURES

- Replacement collar magnet for Cat Mate electromagnetic cat door (obsolete)

INSTALLATION INFORMATION

Compatibility

TCD-PM For the Cat Mate electromagnetic cat door (obsolete)

CODE	COLOUR	PER UNIT
TCD-PM	Black	1



Scan for
product info

Cat Mate Replacement Flaps

DISPLAY STAND
FLAP / DOOR
GLASS ADAPTOR
TUNNEL / EXTENSION
MAGNETS / TAGS
HUB
UPGRADE
LOCKING TAB
CAPS & SCREWS



Replacement flaps for Cat Mate cat doors.

INSTALLATION INFORMATION

Compatibility

TCD-PFC	For the Cat Mate Cat Door (TCD-P), Cat Mate Thin Panel Cat Door - Small (TCD-P4), and Cat Mate Cat Door with 50mm Liner (TCD-P4L)
TCD-PF	For the Cat Mate Cat Door (TCD-P), Cat Mate Thin Panel Cat Door - Small (TCD-P4), and Cat Mate Cat Door with 50mm Liner (TCD-P4L)
TCD-PLF	For the Cat Mate Thin Panel Cat Door - Large (TCD-PL)

Flap size

TCD-PFC	145mm width x 155mm height
TCD-PF	145mm width x 155mm height
TCD-PLF	180mm width x 195mm height

CODE	SIZE	COLOUR	PER UNIT
TCD-PFC	Small	Clear	1
TCD-PF	Small	Tinted	1
TCD-PLF	Large	Tinted	1



Scan for
product info

Dog Mate Replacement Flaps

DISPLAY STAND
FLAP / DOOR
GLASS ADAPTOR
TUNNEL / EXTENSION
MAGNETS / TAGS
HUB
UPGRADE
LOCKING TAB
CAPS & SCREWS



Replacement flaps for Dog Mate dog doors.

INSTALLATION INFORMATION

Compatibility

TCD-PDF For the Dog Mate Dog Door - Medium (TCD-PD)

TCD-PDLF For the Dog Mate Dog Door - Large (TCD-PDL)

Flap size

TCD-PDF 220mm width x 275mm height

TCD-PDLF 300mm width x 370mm height

CODE	SIZE	COLOUR	PER UNIT
TCD-PDF	Medium	Clear	1
TCD-PDLF	Large	Clear	1





Scan for
product info

Transcat Deluxe Cat Door

SINGLE GLAZING	
DOUBLE GLAZING	
SLIDING DOORS	
SCREEN DOORS	
PANEL	
WOOD	
WALL	




Designed for glass installations but can be used in some wood installations.

FEATURES

- Sturdy 4-way locking system
- Clear, unobtrusive appearance
- UV stabilised tough construction
- Heavy duty magnetic catch
- Silent action
- Will fit in most sliding type doors
- Easy installation

INSTALLATION INFORMATION

Glass cut out size	267mm diameter round hole
Wood cut out size	247mm diameter round hole Bolts supplied are for panel thickness 3-6mm. Longer bolts are available on request
Cat size	All cat breeds
Overall size	287mm diameter 14mm inside face depth for installing in sliding doors
Flap size	180mm width x 175mm height



CODE	COLOUR	PER UNIT	PER PACK
TCD	Clear	1	10



Scan for
product info

Transcat Dog Door

SINGLE GLAZING	
DOUBLE GLAZING	
SLIDING DOORS	
SCREEN DOORS	
PANEL	
WOOD	
WALL	




Designed for glass installations but can be used in some wood installations.

FEATURES

- Sturdy 4-way locking system
- Clear, unobtrusive appearance
- UV stabilised tough construction
- Heavy duty magnetic catch
- Silent action
- Will fit in most sliding type doors
- Easy installation

INSTALLATION INFORMATION

Glass cut out size	385mm diameter round hole
Wood cut out size	385mm diameter round hole Bolts supplied are for panel thickness 3-6mm. Longer bolts are available on request
Dog size	Small dog
Overall size	400mm diameter 14mm inside face depth for installing in sliding doors
Flap size	285mm width x 245mm height



CODE	COLOUR	PER UNIT	PER PACK
TDD	Clear	1	10



Scan for
product info

Transcat Deluxe Cat Door Replacement Flap

DISPLAY STAND
FLAP / DOOR
GLASS ADAPTOR
TUNNEL / EXTENSION
MAGNETS / TAGS
HUB
UPGRADE
LOCKING TAB
CAPS & SCREWS



Replacement flap for the Transcat deluxe cat door.

INSTALLATION INFORMATION

Compatibility

TCFN For the Transcat Deluxe Cat Door (TCD)

Flap size

TCFN 180mm width x 170mm height

CODE	COLOUR	PER UNIT
TCFN	Clear	1



Scan for
product info

Transcat Dog Door Replacement Flap

DISPLAY STAND
FLAP / DOOR
GLASS ADAPTOR
TUNNEL / EXTENSION
MAGNETS / TAGS
HUB
UPGRADE
LOCKING TAB
CAPS & SCREWS



Replacement flap for the Transcat dog door.

INSTALLATION INFORMATION

Compatibility

TDF For the Transcat Dog Door (TDD)

Flap size

TDF 285mm width x 245mm height

CODE	COLOUR	PER UNIT
TDF	Clear	1



Scan for
product info

Transcat Electronic Collar Magnet

DISPLAY STAND
FLAP / DOOR
GLASS ADAPTOR
TUNNEL / EXTENSION
MAGNETS / TAGS
HUB
UPGRADE
LOCKING TAB
CAPS & SCREWS



Transcat replacement collar magnet.

FEATURES

- Replacement collar magnet for Transcat Electronic Cat Door (obsolete)

INSTALLATION INSTRUCTIONS

Compatibility

TCDEM For the Transcat Electronic Cat Door (obsolete)

CODE	COLOUR	PER UNIT
TCDEM	Blue	1