



1 IDENTIFICATION OF THE PRODUCT AND OF THE SUPPLIER

Product Name Bostik Expanda Gun & Foam Cleaner

Hazard Statement Classified as Hazardous according to HSNO in New Zealand.

Classified as a Dangerous Good according to NZS5433:1999

Transport of Dangerous Goods on Land.

Recommended Use Cleaning product

Supplier Bostik New Zealand Limited

Street Address 19 Eastern Hutt Road, Wingate, Lower Hutt, New Zealand

Telephone ++64 4 567 5119

Facsimile ++64 4 567 5412

Website www.bostik.co.nz

Emergency Telephone Number National Poisons Centre

0800 POISON or 0800 764 766

Emergency Response In New Zealand 0800 CHEMCALL or 0800 243 622

In Australia 1800 033 111

Globally ++64 3 353 0199

Date SDS first prepared 20/08/2014

2 HAZARDS IDENTIFICATION

<u>Note</u>: This product contains both volatile (solvents) and non-volatile components. During the normal use of this product, the hazardous volatile components evaporate and dissipate. The remaining non-volatile component is not hazardous.

Hazard Statement DANGER

Precautions Keep out of reach of children

Keep away from heat, sparks, open flames and hot surfaces. No smoking

Pressurized container: Do not pierce or burn, even after use

Do not breathe spray

Wear protective gloves, clothing and eye protection

Do not handle until safety precautions have been read and understood.





HSNO Classifications

2.1.1A	Extremely Flammable aerosol
6.1E	Harmful if inhaled
6.3B	Causes mild skin irritation
6.4S	Causes serious eye damage

3 COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Name	CAS	Proportion (%)
Acetone	67-64-1	>25
Propane	74-98-6	10 to 20
Propane, 2-methyl- (isobutane)	75-28-5	10 to 20


High = >60% Medium = 10% - 60% Low = 1% - 10% Very Low = < 1%

4 FIRST AID MEASURES

If poisoning occurs, contact the National Poison Centre (New Zealand 0800 POISON or 0800 764 766).

First Aid

Inhalation	Remove person to fresh air. Get medical advice if breathing becomes difficult.
Skin Contact	Remove contaminated clothing and wash skin with warm soapy water. Do not scrub. If swelling, redness, blistering or irritation occurs, get medical assistance.
Eye Contact	Immediately hold open and flood with water for at least 15 minutes. Eyelids to be held open. Get medical advice.
Ingestion	Rinse mouth with water. Get medical advice immediately. Do NOT induce vomiting because of risk of aspiration. Never give anything by the mouth to an unconscious patient. Watch for toxic effects.
Advice to Physician	Treat symptomatically. Effects may be delayed.





5 FIRE FIGHTING MEASURES

Clear fire area of all non-emergency personnel.

Type of Hazard Flammable aerosol

Fire Hazard Properties On burning: carbon monoxide, carbon dioxide

Extinguishing Media Water, BC powder, Sand/earth

Unsuitable

Extinguishing Media

None known

Precautions for Firefighters Wear full protective equipment, including self contained breathing

apparatus.

Additional Advice Keep adjacent containers cool by spraying with water.

6 ACCIDENTAL RELEASE MEASURES

Small Spills Stop engines and no smoking. No naked flames or sparks. Spark- and explosion

proof appliances and lighting equipment. Wear fill protective equipment, including self-contained breathing apparatus if necessary. Dam up the solid spill. Use appropriate containment to avoid environmental contamination. Use absorbent (soil, sand, or other inert material). Collect using spark-free shovels (ie. plastic) and seal in properly labelled containers or drums for disposal or recycling. See

Disposal section of this SDS for further details.

Large Spills Stop engines and no smoking. No naked flames or sparks. Spark- and explosion

proof appliances and lighting equipment. Wear fill protective equipment, including self-contained breathing apparatus if necessary. Dam up the solid spill. Use appropriate containment to avoid environmental contamination. Use absorbent (soil, sand, or other inert material). Collect using spark-free shovels (ie. plastic) and seal in properly labelled containers or drums for disposal or recycling. See

Disposal section of this SDS for further details.

HANDLING AND STORAGE

7

Handling Avoid breathing of or contact with material. Use only in well ventilated areas.

Keep away from heat, sparks, open flames and any other sources of ignition. Static electricity must be avoided. Wear the appropriate personal protection equipment as specified in this SDS to prevent eye and skin contact. Wash thoroughly after handling. Remove contaminated clothing immediately.

Storage Storage temperature: <50℃. Store containers upright in a cool, dry, well



SAFETY DATA SHEET

ventilated place and out of direct sunlight. Keep away from heat, sparks, open flames and any other sources of ignition. Store away from any incompatible materials as defined in Section 10 of this SDS. Keep containers closed when not in use.

8 EXPOSURE CONTROLS / PERSONAL PROTECTION

Workplace Exposure Guidelines

 Substance
 WES-TWA (UK)
 WES-STEL (UK)

 Acetone
 1210 mg/m³
 3620 mg/m³

Engineering Controls Use spark/explosion proof appliances and lighting system. Keep away

from naked flames/heat.

Personal Protection

Equipment

Avoid fume inhalation. Wear organic vapour respirator, especially if working in a poorly ventilated area. Selection of the correct cartridge is essential. Avoid skin contact. Avoid repeated and prolonged skin contact. Wear overalls or similar protective clothing. Wear solvent resistant gloves, and enclosed footwear. Avoid eye contact. Wear safety glasses, goggles or appropriate face shield.

9 PHYSICAL AND CHEMICAL PROPERTIES

Appearance Aerosol

Odour Acetone odour

Flash Point °C Not applicable

Boiling Point °C Not determined

Lower & Upper Flammability Limits % Extremely flammable

Auto-ignition Temperature °C Not determined

Percent Volatile by weight Not determined

Specific Gravity Not determined

Solubility in Water Low

High = >60% Medium = 10% - 60% Low = 1% - 10% Very Low = < 1%





10 STABILITY AND REACTIVITY

Stability of Substance This material is stable when stored and used as directed.

Conditions to Avoid Heat sources, ignition sources

Incompatible Materials Strong acids, strong bases, oxidising agents

Hazardous Decomposition

Products

On heating: carbon monoxide and carbon dioxide

Hazardous Reactions No data available

11 TOXICOLOGICAL INFORMATION

Information given in this Safety Data Sheet is based on the data on the components and the toxicology of similar products.

No adverse health effects are expected if the product is handled in accordance with this SDS and the product label. Symptoms or effects that may arise if the product is mishandled and overexposure occurs are:

Acute Oral Toxicity Low acute toxicity

Acute Dermal Toxicity Low acute toxicity

Acute Inhalation Toxicity Low acute toxicity

Skin Irritation May cause irritation

Eye Irritation Causes serious irritation

Sensitisation

(Respiratory & Contact)

Carcinogenicity Suspected of causing cancer

Reproductive /

Developmental Toxicity

Not classified for reprotoxic or developmental toxicity

Mutagenicity Not classified for mutagenic or genotoxic toxicity

Not sensitising

Target Organ Systemic Low sub-chronic toxicity



SAFETY DATA SHEET

12 ECOLOGICAL INFORMATION

Acute Toxicity

Aquatic No data available on ecotoxicity

Soil No data available on ecotoxicity

Terrestrial Vertebrate No data available on ecotoxicity

Terrestrial Invertebrate No data available on ecotoxicity

Persistence and degradability Contains non readily biodegradable components

Bioaccumulation No straightforward conclusion can be drawn based upon the

available numerical values.

Mobility No data on mobility of the components of the mixture available

13 DISPOSAL CONSIDERATIONS

Substance Disposal Do not dispose of down drains or into local waterways.

Recycle or recover whenever possible. Dispose of substance to a hazardous or special waste collection point or through a licensed

contractor.

Container Disposal Recycle if possible, or dispose of to a hazardous or special waste

collection point.

Pressurised container - do not puncture

Local Legislation Disposal should be in accordance with Hazardous Substances (Disposal)

Regulations 2001, and with any other applicable regional and national

laws and regulations.

14 TRANSPORT INFORMATION

Land Transport (NZS 5433:1999 Transport of Dangerous Goods on Land)

UN Number 1950

Proper Shipping Name AEROSOLS

DG Class 2

Subsidiary Risk



SAFETY DATA SHEET

Packing Group

HAZCHEM Code 2YE

Marine Transport (IMDG)

Identification Number 1850

Proper Shipping Name AEROSOLS

Class / Division 2.1

Packing Group

Marine Pollutant No

Air Transport (IATA)

UN Number 1950

Proper Shipping Name AEROSOLS, FLAMMABLE

Class / Division 2.1

Packing Group

15 REGULATORY INFORMATION

The regulatory information is not intended to be comprehensive. Other regulations may apply to this material.

Environmental Risk Management Authority (ERMA) Group Standard Number:

HSNO Approval Number HSR002517 - Aerosols

Hazardous Substances and New Organisms Act (HSNO):

The following are trigger quantities for this substance by itself in a place.

Approved Handler Test Certificate 250 litres, when in containers > 5 litres

500 litres, when in containers ≤ 5 litres

Tracking Not applicable

16 OTHER INFORMATION

SDS Revisions Safety Data Sheets are updated at least every 5 years. Obtain the latest

version by visiting www.bostik.co.nz.

Reason for Issue New





SDS Distribution

The information in this document should be made available to all who may handle this product.

This SDS summarises at the date of issue our best knowledge of the health and safety hazard information of this product, and in particular how to safely handle and use the product in the workplace. Since Bostik New Zealand Limited cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, review this SDS in the context of how the user intends to handle and use the product in the workplace.

If clarification or further information is needed to ensure that an appropriate assessment can be made, the user should contact Bostik New Zealand Limited.

Our responsibility for product as sold is subject to our standard terms and conditions, a copy of which is sent to our customers and is available upon request.

Key / Legend

SDS	Safety Data Sheet
HSNO	Hazardous Substances and New Organisms Act 1996
WES-TWA	The time-weighted average exposure standard designed to protect the worker from the effects of long-term exposure
WES-STEL	The 15 minute average exposure standard. This applies to any 15 minute period in a working day and is designed to protect the worker against adverse effects of irritation, chronic or irreversible tissue change, or narcosis that may increase the likelihood of accidents. The WES-STEL is not an alternative to WES-TWA; both the short-term and time-weighted average exposures apply.

Disclaimer

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.