## SAFETY DATA SHEET

### Section 1. Identification of the material and the supplier

Product: GLASSCORP GREENSEAL

Product Code: FB888 / FB888F

Product Use: MS Construction Sealant New Zealand Supplier: Glasscorp Limited

Address: 124 Bush Road

Albany Auckland New Zealand

Telephone: 09 415 6338 Fax Number: 09 415 6339

Email sales@glasscorp.co.nz Website www.glasscorp.co.nz

Emergency Telephone: 09 415 6338

Date of MSDS Preparation: 20 May 2013

#### Section 2. Hazards Identification

Note: When curing is complete, the resulting product is an inert, non-toxic elastomer; it is not hazardous.

Hazard Statement WARNING Causes mild skin irritation

**Precautions** Wear protective gloves. Wash hands thoroughly after handling.

#### **HSNO Classifications**

6.3B Causes mild skin irritation6.4A Causes eye irritation

# Section 3. Composition / Information on Ingredients

Chemical Name	CAS	<u>Proportion</u>
Trimethoxyvinylsilane	2768-02-7	Low
3-(trimethoxysilyl) propylamine	13822-56-5	Low
Non-hazardous ingredients	-	Up to 100%

High = >60% Medium = 10% - 60% Low = 1% - 10% Very Low = < 1%

## Section 4. First Aid Measures

If poisoning occurs, contact the National Poison Centre (New Zealand 0800 POISON or 0800 764 766).

First Aid

**Inhalation** Remove person to fresh air. Get medical advice if breathing becomes

difficult.

**Skin Contact** Remove contaminated clothing and wash skin with warm soapy water.

Do not scrub. If swelling, redness, blistering or irritation occurs, get medical

assistance.

Product Name: Glasscorp Greenseal Date of MSDS:- 20/05/2013

**Eye Contact** Hold open and flood with water for at least 15 minutes. Get medical

advice.

Ingestion Rinse mouth with water. Do not induce vomiting, give a glass of water to

dilute and get medical advice immediately. Never give anything by the mouth

to an unconscious patient. If vomiting occurs give further water.

Advice to Physician Treat symptomatically.

Section 5. **Fire Fighting Measures** 

Type of Hazard Non-flammable material.

**HAZCHEM Code** Not applicable

**Fire Hazard Properties** Unknown due to the complex nature of this material. Fumes from complete or

> incomplete combustion of this material may include carbon dioxide, carbon monoxide, oxides of nitrogen, or a wide variety of innocuous or toxic fumes.

**Extinguishing Media** Not flammable, however if material is involved in a fire use water fog (or

if unavailable a fine water spray), foam, or dry agent (carbon dioxide, dry

chemical powder).

Unsuitable

**Extinguishing Media** 

Not applicable

**Precautions for** 

**Firefighters** 

Wear self contained breathing apparatus.

**Additional Advice** Not applicable

Section 6. **Accidental Release Measures** 

**Small Spills** 

(< 20 litre) Wear protective equipment to prevent skin and eye contamination. Avoid inhalation

of vapours. Wipe up with absorbent (clean rag or paper towels). Collect and seal in

properly labelled containers or drums for disposal.

Large Spills

Slippery when spilt. Avoid accidents and clean up immediately. Wear protective (> 20 litre)

equipment to prevent skin and eye contamination. Avoid inhalation of vapours. Contain spill to prevent run off into drains and waterways. Use absorbent (rags, soil, sand, or other inert material). Collect and seal in properly labelled containers

or drums for disposal.

Section 7. **Handling and Storage** 

Handling Wear the appropriate personal protection equipment as specified in this SDS to

prevent eye and skin contact.

Storage Store in a cool, dry, well ventilated place and out of direct sunlight. Store away

from any incompatible materials as defined in Section 10 of this SDS. Keep

containers closed when not in use. Check regularly for leaks.

### Section 8 Exposure Controls / Personal Protection

**Workplace Exposure Guidelines** 

Substance WES-TWA WES-STEL

Trimethoxyvinylsilane - -

3-(trimethoxysilyl) propylamine - -

Engineering Controls Natural ventilation should be adequate under normal conditions

of use.

Personal Protection Equipment Overalls, safety shoes, safety glasses, gloves.

### Section 9 Physical and Chemical Properties

Appearance Non-flowing paste

**Odour** Mild

Boiling Point °C Not applicable

Specific Gravity 1.3 – 1.5

Solubility in Water Very low

High = >60% Medium = 10% - 60% Low = 1% - 10% Very Low = < 1%

### Section 10. Stability and Reactivity

**Stability of Substance** This material is thermally stable when stored and used as directed.

**Conditions to Avoid** No information available.

**Incompatible Materials** No information available.

**Hazardous Decomposition** 

**Products** 

Thermal decomposition is highly dependant on conditions. A complex mixture of airborne solids, liquids and gases, including carbon monoxide, carbon dioxide and other organic compounds will be evolved when this material undergoes combustion or

thermal or oxidative degradation.

**Hazardous Reactions** No information available.

## Section 11 Toxicological Information

No adverse health effects expected if the product is handled in accordance with this Safety Data Sheet and the product label. Symptoms or effects that may arise if the product is mishandled and overexposure occurs are:

**Acute Effects** 

**Inhalation** High concentrations of vapour, released during curing, may cause

irritation of the respiratory tract.

**Skin Contact** Uncured product contact with skin may result in irritation. Repeated

or prolonged contact with uncured product may lead to irritation.

**Eye Contact** Uncured product is an eye irritant.

**Ingestion** Swallowing can result in nausea and vomiting.

**Long Term Effects** No information available.

Product Name: Glasscorp Greenseal Date of MSDS:- 20/05/2013



### Section 12. Ecotoxicological Information

Avoid contaminating waterways.

**Ecotoxicity** Not classified as Ecotoxic under HSNO.

Persistence and degradability The product does not biodegrade.

**Mobility** Not soluble in water.

Section 13. Disposal Considerations

Substance Disposal Dispose of in an authorised landfill. Do not dispose of down drains

or into local waterways.

**Container Disposal** Dispose of in an authorised landfill.

**Local Legislation** Disposal should be in accordance with applicable regional and

national laws and regulations.

## Section 14. Transport Information

#### **Land Transport**

Not classified as Dangerous Goods by the criteria of NZS 5433:2007 Transport of Dangerous Goods on Land for transport by road or rail.

#### **Marine Transport**

Not classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea.

#### **Air Transport**

Not classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air.

## Section 15 Regulatory Information

The regulatory information is not intended to be comprehensive. Other regulations may apply to this material.

#### **Environmental Risk Management Authority (ERMA) Group Standard Number:**

Surface Coatings and Colourants (Subsidiary Hazard) Group Standard 2006 HSR002670

## Hazardous Substances and New Organisms Act (HSNO):

Approved Handler not required.

Section 16	Other Information
SDS Revisions	Safety Data Sheets are updated at least every 5 years. Obtain the latest version by visiting <a href="https://www.glasscorp.co.nz">www.glasscorp.co.nz</a> .
Reason for Issue	First issue
SDS Distribution	The information in this document should be made available to all who may handle this product.

Product Name: Glasscorp Greenseal Date of MSDS:- 20/05/2013



Page 4

This SDS summarises at the date of issue our best knowledge of the health and safety hazard information of this product, and in particular how to safely handle and use the product in the workplace. Since Glasscorp Limited cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, review this SDS in the context of how the user intends to handle and use the product in the workplace.

If clarification or further information is needed to ensure that an appropriate assessment can be made, the user should contact Glasscorp Limited.

Our responsibility for product as sold is subject to our standard terms and conditions, which are available upon request.

Key / Legend

SDS	Safety Data Sheet
HSNO	Hazardous Substances and New Organisms Act 1996
WES-TWA	The time-weighted average exposure standard designed to protect the worker from the effects of long-term exposure.
WES-STEL	The 15 minute average exposure standard. This applies to any 15 minute period in a working day and is designed to protect the worker against adverse effects of irritation, chronic or irreversible tissue change, or narcosis that may increase the likelihood of accidents. The WES-STEL is not an alternative to WES-TWA; both the short-term and time-weighted average exposures apply.

#### **Disclaimer**

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.



Product Name: Glasscorp Greenseal